

THIS PRODUCT CONTAINS A CHEMICAL OR CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE TOXICITY
PROPOSITION 65 WARNING

INNOVATIVE AIRLESS SPRAY TECHNOLOGY

- Minimizes surface disturbance of asbestos containing material
- Reduces clogging
- Sprays at any angle, even upside down
- Contains no chlorofluorocarbons

DIRECTIONS FOR USE:

Shake well before spraying. Spray the surface from a distance of 8 - 12 inches.

FOR PROFESSIONAL USE ONLY

8 oz. (227 g) Net

Max Allowable VOC Content***: 200

Actual Calculated VOC Content: 64

CAS NO.
7732-18-5
13463-67-7
25265-77-4

Not avail.*
Not avail.*

*Contents partially unknown

Chemical Ingredients
Water
Titanium dioxide
2,2,4-trimethyl-1-3, pentanediol
monoisobutyrate
Proprietary surfactant
Latex resin solids

Caution: Keep out of reach of children. Contents under pressure. Do not puncture, incinerate, or expose to high temperatures above 120°F. Exposure to high temperatures may cause bursting. Harmful if swallowed. If swallowed, do NOT induce vomiting. Call a physician. Outer container is pressurized with a flammable hydrocarbon propellant. Do NOT remove rubber plug. If contact with eyes occurs, flush with water for 15 minutes. For skin contact, wash with soap and water. Prolonged contact with skin may cause slight irritation. Vapor harmful. Provide oxygen or fresh air if overcome by vapor. Avoid breathing vapors. Wear safety glasses when applying. 24 hour emergency contact number: CHEM-TEL 1-800-225-3924

**Maximum regulatory allowable VOC content for this category of product.

Fiberlock Technologies, Inc.
Andover, MA 01810
(800) 342-3755
www.fiberlock.com



FIBERLOCK

TECHNOLOGIES



Asbestos Abatement Products

FIBERSPRAY

AIRLESS SPRAY ENCAPSULANT

EPA ACCEPTED

Asbestos Encapsulation • Glove Bag Use
Bulk Sample Repair

CAUTION: CONTENTS UNDER PRESSURE. HARMFUL IF SWALLOWED. VAPOR HARMFUL. OUTER CONTAINER IS PRESSURIZED WITH A FLAMMABLE HYDROCARBON PROPELLANT. DO NOT REMOVE RUBBER PLUG. READ REAR PANEL FOR OTHER PRECAUTIONS.